



Mercedes-Benz AG | 70546 Stuttgart

Mercedes-Benz

Würth España, S.A.
C/ Joiers, 21.Pol. Industrial Riera de Caldes.
08184 Barcelona
SPAIN

T/P +49 711 17 24801
T/F +49 711 17 59756

Ihr Zeichen, Ihre Nachricht vom/
Your reference
24.11.2020

Unser Zeichen, unsere Nachricht vom/
Our reference number
RD/PMI-139691

Date
04.05.2021

MB-Approval Certificate - New Approval - Engine Oil - Rebrand

MB-Approval 229.51 for: "CEREUS X4 5W30"

Oil-Code: 0897115, SAE-Grade: 5W-30

Rebrand to REPSOL ELITE Long Life 50700/50400 with Oil-Code: –
Supplier: REPSOL LUBRICANTES Y ESPECIALIDADES, S.A.

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 229.51 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

The following regulations apply for the MB-Approval:

- The MB-Approval comes into force on the date shown on this certificate
- The MB-Approval will expire in 5 years at the latest
- The MB-Approval automatically terminates on expiry of the validity period at the latest
- The MB-Approval is only valid as long as the product name is listed in MB BeVo-ONLINE <http://bevo.mercedes-benz.com>
- Applications for renewals or new approvals etc. must be made in good time
- In addition, the regulations laid down in the current "Obligations Regarding Approval for Operating Fluids" contract apply.

A 2-liter back-up sample of each formulation, which can be called upon by Mercedes-Benz AG at any given moment, must be retained. We will inform you of the dispatch address.

Sincerely
Mercedes-Benz AG

i.V. Fritz Kreitmann

i.V. Dr. Jochen Betsch

Mercedes-Benz AG | 70546 Stuttgart | T/P +49 711 17 0 | T/F +49 711 17 2 22 44 | dialog.mb@daimler.com | www.mercedes-benz.com

Mercedes-Benz AG, Stuttgart, Germany | Sitz und Registergericht/Domicile and Court of Registry: Stuttgart, HBR-Nr./Commercial Register No.: 76 2873
Vorsitzender des Aufsichtsrats/Chairman of the Supervisory Board: Bernd Pischetsrieder
Vorstand/Board of Management: Ola Källenius, Vorsitzender/Chairman; Jörg Burzer, Renata Jungo Brüngger, Sajjad Khan, Sabine Kohleisen, Harald Wilhelm, Markus Schäfer, Britta Seeger



und Mercedes-Benz sind eingetragene Marken der Daimler AG, Stuttgart, Deutschland/ are registered trademarks of Daimler AG, Stuttgart, Germany.



Mercedes-Benz AG | 70546 Stuttgart

Mercedes-Benz

Würth España, S.A.
C/ Joiers, 21.Pol. Industrial Riera de Caldes.
08184 Barcelona
SPAIN

T/P +49 711 17 24801
T/F +49 711 17 59756

Ihr Zeichen, Ihre Nachricht vom/
Your reference
24.11.2020

Unser Zeichen, unsere Nachricht vom/
Our reference number
RD/PMI-139694

Date
04.05.2021

MB-Approval Certificate - New Approval - Engine Oil - Rebrand

MB-Approval 229.3 for: "CEREUS X4 A3/B4 10W40"

Oil-Code: 0897130, SAE-Grade: 10W-40

Rebrand to REPSOL ELITE Multivalvas with Oil-Code: –
Supplier: REPSOL LUBRICANTES Y ESPECIALIDADES, S.A.

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 229.3 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

The following regulations apply for the MB-Approval:

- The MB-Approval comes into force on the date shown on this certificate
- The MB-Approval will expire in 5 years at the latest
- The MB-Approval automatically terminates on expiry of the validity period at the latest
- The MB-Approval is only valid as long as the product name is listed in MB BeVo-ONLINE <http://bevo.mercedes-benz.com>
- Applications for renewals or new approvals etc. must be made in good time
- In addition, the regulations laid down in the current "Obligations Regarding Approval for Operating Fluids" contract apply.

A 2-liter back-up sample of each formulation, which can be called upon by Mercedes-Benz AG at any given moment, must be retained. We will inform you of the dispatch address.

Sincerely
Mercedes-Benz AG

i.V. Fritz Kreitmann

i.V. Dr. Jochen Betsch

Mercedes-Benz AG | 70546 Stuttgart | T/P +49 711 17 0 | T/F +49 711 17 2 22 44 | dialog.mb@daimler.com | www.mercedes-benz.com

Mercedes-Benz AG, Stuttgart, Germany | Sitz und Registergericht/Domicile and Court of Registry: Stuttgart, HBR-Nr./Commercial Register No.: 76 2873
Vorsitzender des Aufsichtsrats/Chairman of the Supervisory Board: Bernd Pischetsrieder
Vorstand/Board of Management: Ola Källenius, Vorsitzender/Chairman; Jörg Burzer, Renata Jungo Brüngger, Sajjad Khan, Sabine Kohleisen, Harald Wilhelm, Markus Schäfer, Britta Seeger



und Mercedes-Benz sind eingetragene Marken der Daimler AG, Stuttgart, Deutschland/ are registered trademarks of Daimler AG, Stuttgart, Germany.



Mercedes-Benz AG | 70546 Stuttgart

Mercedes-Benz

Würth España, S.A.
C/ Joiers, 21.Pol. Industrial Riera de Caldes.
08184 Barcelona
SPAIN

T/P +49 711 17 24801
T/F +49 711 17 59756

Ihr Zeichen, Ihre Nachricht vom/
Your reference
24.11.2020

Unser Zeichen, unsere Nachricht vom/
Our reference number
RD/PMI-139697

Date
04.05.2021

MB-Approval Certificate - New Approval - Engine Oil - Rebrand

MB-Approval 229.52 for: "CEREUS X5 C3 5W30"

Oil-Code: 0897630, SAE-Grade: 5W-30

Rebrand to REPSOL ELITE Evolution Long Life 5W30 with Oil-Code: –
Supplier: REPSOL LUBRICANTES Y ESPECIALIDADES, S.A.

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 229.52 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

The following regulations apply for the MB-Approval:

- The MB-Approval comes into force on the date shown on this certificate
- The MB-Approval will expire in 5 years at the latest
- The MB-Approval automatically terminates on expiry of the validity period at the latest
- The MB-Approval is only valid as long as the product name is listed in MB BeVo-ONLINE <http://bevo.mercedes-benz.com>
- Applications for renewals or new approvals etc. must be made in good time
- In addition, the regulations laid down in the current "Obligations Regarding Approval for Operating Fluids" contract apply.

A 2-liter back-up sample of each formulation, which can be called upon by Mercedes-Benz AG at any given moment, must be retained. We will inform you of the dispatch address.

Sincerely
Mercedes-Benz AG

i.V. Fritz Kreitmann

i.V. Dr. Jochen Betsch

Mercedes-Benz AG | 70546 Stuttgart | T/P +49 711 17 0 | T/F +49 711 17 2 22 44 | dialog.mb@daimler.com | www.mercedes-benz.com

Mercedes-Benz AG, Stuttgart, Germany | Sitz und Registergericht/Domicile and Court of Registry: Stuttgart, HBR-Nr./Commercial Register No.: 76 2873
Vorsitzender des Aufsichtsrats/Chairman of the Supervisory Board: Bernd Pischetsrieder
Vorstand/Board of Management: Ola Källenius, Vorsitzender/Chairman; Jörg Burzer, Renata Jungo Brüngger, Sajjad Khan, Sabine Kohleisen, Harald Wilhelm, Markus Schäfer, Britta Seeger



und Mercedes-Benz sind eingetragene Marken der Daimler AG, Stuttgart, Deutschland/ are registered trademarks of Daimler AG, Stuttgart, Germany.

DECLARACION DE CONFORMIDAD



Würth España certifica que sus aceites CEREUS® están registrados en ATIEL

ATIEL ha colaborado a la hora de establecer prácticas y estándares de calidad que benefician a los constructores de vehículos, a los talleres y a los consumidores finales. De esta forma, ATIEL tiene un papel fundamental a la hora de establecer normas de calidad para aquellos aceites que cumplen los requisitos de ACEA. El Código de Prácticas de ATIEL ha sido esencial para establecer normas y ofrecer garantías de calidad a fabricantes, profesionales y consumidores. Además, el organismo participa activamente en el desarrollo y establecimiento de ensayos de motor, que sirven para probar la idoneidad de los aceites y comprobar que sus especificaciones se ajustan a las aplicaciones de la vida real.

El papel principal de este comité consiste en aportar claridad a los requisitos de la EELQMS y promover su cumplimiento. Para eso desarrolla mecanismos simplificados y robustos que ayudan a impulsar el cumplimiento de sus directrices, a mejorar los procedimientos de auditoría y la labor de supervisión. El elevado nivel técnico de los miembros de ATIEL permite a este organismo promover el consenso sobre cuestiones técnicas muy relevantes, que permiten asegurar que los aceites de motor contribuyen de manera efectiva a la protección contra el desgaste, los depósitos, las bajas emisiones y el ahorro de combustible.



List lubricant marketers registrants

Würth España, S.A.

ES

CEREUS

Puede consultar el registro de los aceites de Würth en el siguiente enlace:

<https://www.sail-europe.eu/registrations/lubricant-marketers#w>

Departamento de Control de Calidad, Würth España, S.A.

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and
WÜRTH ESPAÑA, S.A.

may be used through 31-Mar-2021 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:



BRAND NAME	SAE VISCOSITY GRADE	SERVICE CATEGORY	PERFORMANCE DESIGNATION
CEREUS X3	5W-30	SN	
CEREUS X3 10W40	10W-40	SL	
CEREUS X3 5W40	5W-40	SN	
CEREUS X4 10W40	10W-40	SN	
CEREUS X4 5W30	5W-30	SN	
CEREUS X4 5W40	5W-40	SN	

Engine Oil Licensing and Certification System

200 Massachusetts Avenue, NW Suite 1100 • Washington, DC 20001-5571 • USA • www.api.org/eolcs

Copyright 2019 - American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), and the API Service Symbol ("Donut") are either trademarks or registered trademarks of API in the United States and/or other countries. 2019-003 | 02.19 | Digital

Kevin Fernek

Director, Product Programs

Date: 18-Mar-2020



License No: 3641

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and
WÜRTH ESPAÑA, S.A.
may be used through 31-Mar-2022 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:



BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
CEREUS X3	5W-30	SN	
CEREUS X3	5W-40	SN	
CEREUS X3	10W-40	SL	
CEREUS X4	5W-30	SN	
CEREUS X4	5W-40	SN	
CEREUS X4 A3/B4	10W-40	SN	
CEREUS X5 C3	5W-30	SN	



Manager - EOLCS/DEF/MOM

Date: 04-Feb-2021

Copyright 2020 - American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), the API Service Symbol ("Donut"), and the API Certification Mark ("Shield") are either trademarks or registered trademarks of API. 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch

VOLKSWAGEN

AKTIENGESELLSCHAFT

VOLKSWAGEN AKTIENGESELLSCHAFT 38436 WOLFSBURG DEUTSCHLAND

Würth Espana, S.A.
Mrs. Jordi Calpe Sanchis
Pol. Ind. Riera de Caldes, C/Joiers,
21.
08184 Palausolitá i Plegamans,
Barcelona
Spain

jcs
19.12.2019
SK 1437-elf-sk
9-43156
9-32371
IHRE ZEICHEN
IHRE NACHRICHT
UNSERE ZEICHEN
DURCHWAHL
TELEFAX
E-MAIL

engine.oil.approvals.vwag.r.wob@volkswagen.de

06.01.2020 DATUM

Engine Oil

Dear Mrs. Jordi Calpe Sanchis,

Analysis of the engine oil

Würth CEREUSS X4 SAE 5W-30 (Oil-Code: IME1312267-A)

has shown that product in question meets the requirements in accordance with VW Standard 504 00 and VW Standard 507 00. This engine oil is therefore suitable for use in our vehicles with LongLife Service (petrol and diesel engines, including diesel engines with particulate traps without fuel borne catalyst) in accordance with the Owner's Literature for our products.

So that it is clear to both customers and workshops that this approval has been granted, containers should state:

"approved under VW Standard 504 00 and VW Standard 507 00"

Please note that this approval will expire on **28.07.2022** at the same time as the approval given to the reference oil.

Yours sincerely,

i.V.

Dr. Heini

i.V.

D. Eschwey

VOLKSWAGEN AKTIENGESELLSCHAFT
38436 WOLFSBURG
DEUTSCHLAND
TELEFON +49 5361 9-0
TELEFAX +49 5361 9-28282
VW@VOLKSWAGEN.DE

VORSITZENDER DES AUFSICHTSRATS:
HANS DIETER PÖTSCH

VORSTAND:
HERBERT DIESS –
VORSITZENDER

OLIVER BLUME
GUNNAR KILIAN
ANDREAS RENSCHLER
ABRAHAM SCHOT
STEFAN SOMMER
HILTRUD D. WERNER
FRANK WITTER

VOLKSWAGEN AKTIENGESELLSCHAFT
SITZ: WOLFSBURG
AMTSGERICHT BRAUNSCHWEIG
HRB 100484

Wir weisen darauf hin, dass die vorstehend bestätigten VW-Normen keine Prüfung der Rechtsraum-, Verkehrs- oder Vertriebsfähigkeit in möglichen Absatzmärkten, insbesondere nicht die Erfüllung lokaler Chemikaliengesetze, umfasst. Die Prüfung und Einhaltung dieser Vorgaben obliegt dem jeweiligen Hersteller/Importeur. Es wird darauf hingewiesen, dass Freigaben der Volkswagen AG für Hersteller und Vertrieber auf der Basis der Bestätigung der Einhaltung der Anforderungen des Volkswagen Konzerns zur Nachhaltigkeit in den Beziehungen zu Geschäftspartnern erfolgen. Dies schließt den Umweltschutz, Menschen- und Arbeitsrechte, transparente Geschäftsbeziehungen, faires Marktverhalten, Sorgfaltspflicht zur Förderung verantwortungsvoller Rohstofflieferketten sowie eine Integration dieser Nachhaltigkeitsanforderungen in die eigene Organisation und die eigenen Prozesse ein. Näheres ist zu finden unter:

<https://www.volkswagenag.com/presence/nachhaltigkeit/documents/policy-intern/2018%20Code%20of%20Conduct%20for%20Business%20Partners%20DE->

EN.pdf

VOLKSWAGEN

AKTIENGESELLSCHAFT

VOLKSWAGEN AKTIENGESELLSCHAFT 38436 WOLFSBURG DEUTSCHLAND

Würth Espana, S.A.
Mrs. Jordi Calpe Sanchis
Pol. Ind. Riera de Caldes, C/Joiers,
21.
08184 Palausolitá i Plegamans,
Barcelona
Spain



jcs
19.12.2019
1437-elf-sk
9-43156
9-32371

engine.oil.approvals.vwag.r.wob@volkswagen.de

IHRE ZEICHEN
IHRE NACHRICHT
UNSERE ZEICHEN
DURCHWAHL
TELEFAX
E-MAIL

06.01.2020

DATUM

Engine Oil

Dear Mrs. Jordi Calpe Sanchis,

Analysis of the engine oil

Würth CEREUS X4 SAE 5W-40 (Oil-Code: OS224574)

has shown that the product in question meets the requirements in accordance with VW Standard 505 00 and VW Standard 505 01. This engine oil is therefore suitable for use in our petrol and diesel engines, including engines with turbochargers, in accordance with the Owner's Literature for our products.

So that it is clear to both customers and workshops that this approval has been granted, containers should state:

"approved under VW Standard 505 00 and VW Standard 505 01"

Please note that this approval will expire on **11.05.2021** at the same time as the approval given to the reference oil.

Yours sincerely,



i.V.

Dr. Heini



i.V.

D. Eschwey

VOLKSWAGEN AKTIENGESELLSCHAFT
38436 WOLFSBURG
DEUTSCHLAND
TELEFON +49 5361 9-0
TELEFAX +49 5361 9-28282
VW@VOLKSWAGEN.DE

VORSITZENDER DES AUFSICHTSRATS:
HANS DIETER PÖTSCH

VORSTAND:
HERBERT DIESS –
VORSITZENDER

OLIVER BLUME
GUNNAR KILIAN
ANDREAS RENSCHLER
ABRAHAM SCHOT
STEFAN SOMMER
HILTRUD D. WERNER
FRANK WITTER

VOLKSWAGEN AKTIENGESELLSCHAFT
SITZ: WOLFSBURG
AMTSGERICHT BRAUNSCHWEIG
HRB 100484

Wir weisen darauf hin, dass die vorstehend bestätigten VW-Normen keine Prüfung der Rechtsraum-, Verkehrs- oder Vertriebsfähigkeit in möglichen Absatzmärkten, insbesondere nicht die Erfüllung lokaler Chemikaliengesetze, umfasst. Die Prüfung und Einhaltung dieser Vorgaben obliegt dem jeweiligen Hersteller/Importeur. Es wird darauf hingewiesen, dass Freigaben der Volkswagen AG für Hersteller und Vertrieber auf der Basis der Bestätigung der Einhaltung der Anforderungen des Volkswagen Konzerns zur Nachhaltigkeit in den Beziehungen zu Geschäftspartnern erfolgen. Dies schließt den Umweltschutz, Menschen- und Arbeitsrechte, transparente Geschäftsbeziehungen, faires Marktverhalten, Sorgfaltspflicht zur Förderung verantwortungsvoller Rohstofflieferketten sowie eine Integration dieser Nachhaltigkeitsanforderungen in die eigene Organisation und die eigenen Prozesse ein. Näheres ist zu finden unter:

<https://www.volkswagenag.com/presence/nachhaltigkeit/documents/policy-intern/2018%20Code%20of%20Conduct%20for%20Business%20Partners%20DE->

EN.pdf

VOLKSWAGEN

AKTIENGESELLSCHAFT

VOLKSWAGEN AKTIENGESELLSCHAFT 38436 WOLFSBURG DEUTSCHLAND

Würth Espana, S.A.
Mrs. Jordi Calpe Sanchis
Pol. Ind. Riera de Caldes, C/Joiers,
21.
08184 Palausolitá i Plegamans,
Barcelona
Spain

jcs
19.12.2019
SK 1437-elf-sk
9-43156
9-32371

IHRE ZEICHEN
IHRE NACHRICHT
UNSERE ZEICHEN
DURCHWAHL
TELEFAX
E-MAIL

engine.oil.approvals.vwag.r.wob@volkswagen.de

06.01.2020 DATUM

Engine Oil

Dear Mrs. Jordi Calpe Sanchis,

Analysis of the engine oil

Würth CEREUS X4 SAE 5W-30 (Oil-Code: IME1312267-A)

has shown that product in question meets the requirements in accordance with VW Standard 504 00 and VW Standard 507 00. This engine oil is therefore suitable for use in our vehicles with LongLife Service (petrol and diesel engines, including diesel engines with particulate traps without fuel borne catalyst) in accordance with the Owner's Literature for our products.

So that it is clear to both customers and workshops that this approval has been granted, containers should state:

"approved under VW Standard 504 00 and VW Standard 507 00"

Please note that this approval will expire on **28.07.2022** at the same time as the approval given to the reference oil.

Yours sincerely,



i.V.

Dr. Heini



i.V.

D. Eschwey

VOLKSWAGEN AKTIENGESELLSCHAFT
38436 WOLFSBURG
DEUTSCHLAND
TELEFON +49 5361 9-0
TELEFAX +49 5361 9-28282
VW@VOLKSWAGEN.DE

VORSITZENDER DES AUFSICHTSRATS:
HANS DIETER PÖTSCH

VORSTAND:
HERBERT DIESS –
VORSITZENDER

OLIVER BLUME
GUNNAR KILIAN
ANDREAS RENSCHLER
ABRAHAM SCHOT
STEFAN SOMMER
HILTRUD D. WERNER
FRANK WITTER

VOLKSWAGEN AKTIENGESELLSCHAFT
SITZ: WOLFSBURG
AMTSGERICHT BRAUNSCHWEIG
HRB 100484

Wir weisen darauf hin, dass die vorstehend bestätigten VW-Normen keine Prüfung der Rechtsraum-, Verkehrs- oder Vertriebsfähigkeit in möglichen Absatzmärkten, insbesondere nicht die Erfüllung lokaler Chemikaliengesetze, umfasst. Die Prüfung und Einhaltung dieser Vorgaben obliegt dem jeweiligen Hersteller/Importeur. Es wird darauf hingewiesen, dass Freigaben der Volkswagen AG für Hersteller und Vertrieber auf der Basis der Bestätigung der Einhaltung der Anforderungen des Volkswagen Konzerns zur Nachhaltigkeit in den Beziehungen zu Geschäftspartnern erfolgen. Dies schließt den Umweltschutz, Menschen- und Arbeitsrechte, transparente Geschäftsbeziehungen, faires Marktverhalten, Sorgfaltspflicht zur Förderung verantwortungsvoller Rohstofflieferketten sowie eine Integration dieser Nachhaltigkeitsanforderungen in die eigene Organisation und die eigenen Prozesse ein. Näheres ist zu finden unter:

[https://www.volkswagenag.com/presence/nachhaltigkeit/documents/policy-intem/2018%20Code%20of%20Conduct%20for%20Business%20Partners%20DE-](https://www.volkswagenag.com/presence/nachhaltigkeit/documents/policy-intem/2018%20Code%20of%20Conduct%20for%20Business%20Partners%20DE-EN.pdf)

EN.pdf

VOLKSWAGEN

AKTIENGESELLSCHAFT

VOLKSWAGEN AKTIENGESELLSCHAFT 38436 WOLFSBURG DEUTSCHLAND

Würth Espana, S.A.
Mrs. Jordi Calpe Sanchis
Pol. Ind. Riera de Caldes, C/Joiers,
21.
08184 Palausolitá i Plegamans,
Barcelona
Spain

Sk

jcs
05.05.2020
1437-eh-lf
9-43156
9-32371

engine.oil.approvals.vwag.r.web@volkswagen.de

IHRE ZEICHEN
IHRE NACHRICHT
UNSERE ZEICHEN
DURCHWAHL
TELEFAX
E-MAIL

26.05.2020

DATUM

Engine Oil

Dear Mrs. Jordi Calpe Sanchis,

Analysis of the engine oil

Würth CEREUS X5 C3 SAE 5W-30 (Oil-Code: OS222112)

has shown that the product in question meets the requirements in accordance with VW Standard 505 00 and VW Standard 505 01. This engine oil is therefore suitable for use in our petrol and diesel engines, including engines with turbochargers, in accordance with the Owner's Literature for our products.

So that it is clear to both customers and workshops that this approval has been granted, containers should state:

"approved under VW Standard 505 00 and VW Standard 505 01"

Please note that this approval will expire on **06.06.2022** at the same time as the approval given to the reference oil.

Yours sincerely,

i.V.

Dr. Heint

i.V.

Dr. Fölster

VOLKSWAGEN AKTIENGESELLSCHAFT
38436 WOLFSBURG
DEUTSCHLAND
TELEFON +49 5361 9-0
TELEFAX +49 5361 9-28282
VW@VOLKSWAGEN.DE

VORSITZENDER DES AUFSICHTSRATS:
HANS DIETER PÖTSCH

VORSTAND:
HERBERT DIESS –
VORSITZENDER

OLIVER BLUME
MARKUS DUESMANN
GUNNAR KILIAN
ANDREAS RENSCHLER
STEFAN SOMMER
HILTRUD D. WERNER
FRANK WITTER

VOLKSWAGEN AKTIENGESELLSCHAFT
SITZ: WOLFSBURG
AMTSGERICHT BRAUNSCHWEIG
HRB 100484

We are pointing out that this letter only addresses whether product reviewed meets the VW standards. We do not address or express any view on compliance with national chemical inventories, the marketability in any sales market or the compliance with local chemical substances laws or other applicable laws.

Responsibility for compliance with such legal requirements falls to the engine oil maker, importer or distributor. It is pointed out that approvals from Volkswagen for manufacturers and distributors are granted on the basis of confirmation of compliance with the requirements of Volkswagen Group concerning sustainability in the relations with business partners. That includes environmental protection, human rights and labor rights of employees, transparent business relations, fair market behavior, duty of care to promote responsible raw material supply chains, integration of sustainability requirements in organization and processes. Details are available at: <https://www.volkswagenag.com/presence/nachhaltigkeit/documents/policy-intern/2016%20Code%20of%20Conduct%20for%20Business%20Partners%20DE-EN.pdf>

intern/2016%20Code%20of%20Conduct%20for%20Business%20Partners%20DE-EN.pdf

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and
WÜRTH ESPAÑA, S.A.
 may be used through 31-Mar-2021 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:



BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
CEREUS X3	5W-30	SN	
CEREUS X3	5W-40	SN	
CEREUS X3	10W-40	SL	
CEREUS X4	5W-30	SN	
CEREUS X4	5W-40	SN	
CEREUS X4 A3/B4	10W-40	SN	
CEREUS X5 C3	5W-30	SN	

Manager - EOLCS/DEF/MOM

Date: 21-May-2020

Engine Oil Licensing and Certification System

Copyright 2020 - American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), the API Service Symbol ("Donut"), and the API Certification Mark ("Shield") are either trademarks or registered trademarks of API. 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch



PORSCHE

Dr. Ing. h.c. F. Porsche Aktiengesellschaft · Postfach 1140 · D-71283 Weissach

Würth España, S.A.
Attn.: Mr. Jordi Calpe Sanchis
Pol. Ind. Riera de Caldes.
C/ Joiers, 21. 08184 Palausolità
i Plegamans.
Barcelona
SPAIN

Dr. Ing. h.c. F. Porsche Aktiengesellschaft
Porschestraße 911
D - 71287 Weissach
Tel. +49 (0) 7 11 / 9 11 - 843 10
Telefax +49 (0) 7 11 / 9 11 - 821 47
Email hans-peter.deeg@porsche.de

Our reference
EAS2 / DG / TA

Date
July 13, 2020

Motor Oil Approval (993/94-020)

Porsche Reference No.	2020/06/1496
Oil company	Würth España, S.A.
Oil product name	Cereus X4 5W30
SAE viscosity	5W-30
Oil code	0897115
Start of approval	July 23, 2020
End of approval	July 28, 2022
Marketing area	Spain

Dear Mr. Sanchis,

Based on the information given by your company and our analysis, PORSCHE is giving its approval according to the **Porsche oil category C30** (currently valid for diesel and petrol engines in accordance with the Owner's Literature) to your motor oil **Cereus X4 5W30**. We will include your motor oil in the next issue of our "Technical Information Motor Oil".

This approval will expire on July 28, 2022, if no extension is requested before in good time. This approval will expire before the end of the above mentioned period: if the approved formulation is changed or if negative fields results are recorded or for any reason if Porsche deems it necessary.

You may inform your customers about this approval (Porsche "C30") in a descriptive, non-advertising manner in neutral typeface not larger than the one that is used to express the fulfilment of other manufacturers' specifications. Any further reference to Porsche or the use of the crest and logotype of Porsche is strictly prohibited.

Yours sincerely,

Dr. Ing. h.c. F. Porsche Aktiengesellschaft
Advanced Engineering Powertrain Dept.

i. V. K. Dums

i. A. H.-P. Deeg

cc: PEG-V A. Tyson

We are pointing out that this letter only addresses whether product reviewed meets the Porsche standards. We do not address or express any view on compliance with national chemical inventories, the marketability in any sales market or the compliance with local chemical substances laws or other applicable laws. Responsibility for compliance with such legal requirements falls to the engine oil maker, importer or distributor.



PORSCHE

Dr. Ing. h.c. F. Porsche Aktiengesellschaft · Postfach 1140 · D-71283 Weissach

Würth España, S.A.
Attn.: Mr. Jordi Calpe Sanchis
Pol. Ind. Riera de Caldes.
C/ Joiers, 21. 08184 Palausolità
i Plegamans.
Barcelona
SPAIN

Dr. Ing. h.c. F. Porsche Aktiengesellschaft
Porschestraße 911
D - 71287 Weissach
Tel. +49 (0) 7 11 / 9 11 - 843 10
Telefax +49 (0) 7 11 / 9 11 - 821 47
Email hans-peter.deeg@porsche.de

Our reference

EAS2 / DG / TA

Date

March 31, 2020

Motor Oil Approval (993/94-020)

Porsche Reference No.	2020/03/1497
Oil company	Würth España, S.A.
Oil product name	Cereus X4 5W40
SAE viscosity	5W-40
Oil code	0897915
Start of approval	April 1, 2020
End of approval	June 30, 2022
Marketing area	Spain

Dear Mr. Sanchis,

Based on the information given by your company and our analysis, PORSCHE is giving its approval according to the **Porsche oil category A40** (currently valid for petrol engines in accordance with the Owner´s Literature) to your motor oil **Cereus X4 5W40**. We will include your motor oil in the next issue of our "Technical Information Motor Oil".

This approval will expire on June 30, 2022, if no extension is requested before in good time. This approval will expire before the end of the above mentioned period: if the approved formulation is changed or if negative fields results are recorded or for any reason if Porsche deems it necessary.

You may inform your customers about this approval (Porsche "A40") in a descriptive, non-advertising manner in neutral typeface not larger than the one that is used to express the fulfilment of other manufacturers' specifications. Any further reference to Porsche or the use of the crest and logotype of Porsche is strictly prohibited.

Yours sincerely,

Dr. Ing. h.c. F. Porsche Aktiengesellschaft
Advanced Engineering Powertrain Dept.

i. V. K. Dums

i. A. H.-P. Deeg

cc: PEG-V A. Tyson

We are pointing out that this letter only addresses whether product reviewed meets the Porsche standards. We do not address or express any view on compliance with national chemical inventories, the marketability in any sales market or the compliance with local chemical substances laws or other applicable laws. Responsibility for compliance with such legal requirements falls to the engine oil maker, importer or distributor.



RENAULT TECHNOLOGIE ROUMANIE
RO CTT A08 1 01, Titu, jud.Dambovita
Str.Aviatorilor, Nr.1, Cod 135500

Téléphone : +40751021700
gabriel-alexandru.serban@renault.com

RENAULT TECHNOLOGIE ROUMANIE

API : RO CTT A08 1 01

Sofia - Aurora MONDIRU

Ref. QBT7300-2020-20279

13/11/2020

Attention: Jordi Calpe Sanchis
Company: Würth España S.A.
Address: Pol. Ind. Riera de Caldes
C/ Joiers, 21
08184 Palau-solità i Plegamans
Barcelona , Spain

Objet : RN Certification – Würth España – Renault approval.

Dear Mr. Calpe Sanchis,

I am pleased to send you the Renault certificates. Here you can find some details about your RN after sale engine oil :

➤ **CEREUS X4 A3/B4 10W-40**

(IME1311045-A) (A3/B4-12) SAE 10W-40 **RN700-20-94 & RN710-20-83**

The certification is effective for 4 years (until **13/11/2024**).

Thank you for your cooperation.

Kind Regards,

Gabriel-Alexandru SERBAN
Polymers & Fluids Team Leader

Enc : 2 Certificates.

RENAULT Property

Confidential C

Renault RN700 certificate

Identification	Supplier	Würth España S.A.
	Product name	CEREUS X4 A3/B4 10W-40
	ACEA	A3/B4-12
	1.1 Grade	10W-40

Lab performance	1.2	Shear stability	12.5
	1.3	HTHS	3.7
	1.4	Kinematic viscosity (40°C)	82.1
		Kinematic viscosity (100°C)	13.2
	1.5	Noack	8.9
	1.6	Calcium	2687
		Zinc	1051
		Magnesium	0
		Sulphur	0.23
		Phosphorus	958
		Chlorine	10
		Molybdenum	0
		Barium	0
		Silicon	6
		Boron	70
	1.7	Sulphated Ash	1.1
	1.8	TAN	3.2
	1.9	TBN	10
	1.10	RE1 - FPM	PASS
		RE2/99 - ACM	PASS
RE3/04 - VMQ		PASS	
RE4 - NBR		PASS	
AEM - VAMAC		PASS	
1.11	Foaming Seq1	0/0	
	Foaming Seq2	10/0	
	Foaming Seq3	0/0	
	Foaming Seq4	30/0	
1.12	CCS	4095@-25	
1.13	Pumping limit T* (MRV)	14300@-30	

Lab performance (continued)	1.15	Density	856
	1.16	Open-vessel flash point	240
	1.17	Pour point	-39
	1.18	Copper corrosion	1a
	1.19	Anti-wear properties	0.4
	1.20	De-airing	22
	1.21	Water content	<0.04
	1.22	Base oil type & ratio	100 % Gp III
	1.23	TOC	Classe 2
	1.24	MCT	8.4 / 250
	1.25	Auto-ignition T*	340

ACEA Engine tests performance	2.1	TU5JP high temperature deposits	PASS
	2.2	Seq VG low temperature sludge	PASS
	2.3	TU3M cam wear	PASS
	2.4	M111 black sludge	PASS
	2.5	M111 fuel economy	-
	2.6	DV4TD dispersivity	PASS
	2.7	CM545 Viscosity stability et oil consumption	PASS
	2.8	VW DI piston cleanliness & ring sticking	PASS

LLR	3.1	Renault LLR	NR
-----	-----	-------------	----

Renault Registration Data (to be filled by Renault's delegate only)		
Registration	Final Technical data (dd/mm/yyyy)	18.05.2020
	Sample delivery (dd/mm/yyyy)	28.02.2020
Certificate	Certificate serial number	RN700-20-84
	Delivered on (dd/mm/yyyy)	13.11.2020
	Valid till (dd/mm/yyyy)	13.11.2024
	Letter ref (NDS)	GBT7300-2020-20279

Renault: Date, Name, Signature

13.11.2020
Gabriel Alexandru SERBAN



Supplier commitment: Date, Name, Signature

I hereby certify that all data submitted in this form is correct and issues from Renault-approved independent or Renault-certified (self-agreement process) testing facilities.



Jordi Calpe Sanchis
12/11/2020

Renault RN710 certificate

Identification	Supplier	Würth España S.A.
	Product name	CEREUS X4 A3/B4 10W-40
	ACEA	A3/B4-12
	1.1 Grade	10W-40

Lab performance	1.2	Shear stability	12.5
	1.3	HTHS	3.7
	1.4	Kinematic viscosity (40°C)	82.1
		Kinematic viscosity (100°C)	13.2
	1.5	Noack	8.9
	1.6	Calcium	2687
		Zinc	1051
		Magnesium	0
		Sulphur	0.23
		Phosphorus	958
		Chlorine	10
		Molybdenum	0
		Barium	0
		Silicon	6
		Boron	70
	1.7	Sulphated Ash	1.1
	1.8	TAN	3.2
	1.9	TBN	10
	1.10	RE1 - FPM	PASS
		RE2/99 - ACM	PASS
RE3/04 - VMQ		PASS	
RE4 - NBR		PASS	
AEM - VAMAC		PASS	
1.11	Foaming Seq1	0/0	
	Foaming Seq2	10/0	
	Foaming Seq3	0/0	
	Foaming Seq4	30/0	
1.12	CCS	4095@-25	
1.13	Pumping limit T* (MRV)	14300@-30	

Lab performance (continued)	1.15	Density	856
	1.16	Open-vessel flash point	240
	1.17	Pour point	-39
	1.18	Copper corrosion	1a
	1.19	Anti-wear properties	0.4
	1.20	De-airing	22
	1.21	Water content	<0.04
	1.22	Base oil type & ratio	100 % Gp III
	1.23	TOC	Classe 2
	1.24	MCT	8.4 / 250
	1.25	Auto-ignition T*	340

ACEA Engine tests performance	2.1	TUSJP high temperature deposits	PASS
	2.2	Seq VG low temperature sludge	PASS
	2.3	TU3M cam wear	PASS
	2.4	M111 black sludge	PASS
	2.5	M111 fuel economy	-
	2.6	DV4TD dispersivity	PASS
	2.7	OM546 Viscosity stability et oil consumption	PASS
	2.8	VW DI piston cleanliness & ring sticking	PASS

LLR	3.1	Renault LLR	NR
------------	-----	-------------	----

Renault Registration Data (to be filled by Renault's delegate only)			
Registration	Final Technical data (dd/mm/yyyy)	18.05.2020	
	Sample delivery (dd/mm/yyyy)	28.02.2020	
Certificate	Certificate serial number	RN710-20-88	
	Delivered on (dd/mm/yyyy)	13.11.2020	
	Valid till (dd/mm/yyyy)	13.11.2024	
	Letter ref (NDS)	QBT7300-2020-20279	

Renault: Date, Name, Signature	
13.11.2020 Gabriel Alexandru SERBAN	
	

Supplier commitment: Date, Name, Signature	
I hereby certify that all data submitted in this form is correct and issues from Renault-approved independent or Renault-certified (self-agreement process) testing facilities.	
	
Jordi Calpe Sanchis 12/11/2020	